

	No. of Responses	% of Responses			
Invitations Sent	100	100%			
Responses Received	29	29%			
<b>Are you able or do you choose to fully recover the cost of your Pretreatment program through fees?</b>					
Answers: 27 (93%)	8	30%	YES		
	19	70%	NO		
<b>Are permitted Significant Industrial Users charged to cover the annual DEQ pretreatment fees?</b>					
Answers: 19 (66%)	10	53%	YES		
	9	47%	NO		
<b>What are your fees and schedules for Significant Industrial Users?</b>					
Answers: 19 (66%)			MIN	MAX	AVG
New permit application	3	16%	\$ 350	\$ 1,033	\$ 659
New permit issuance	8	42%	\$ 250	\$ 3,000	\$ 1,345
Annual fee	13	68%	\$ 200	\$ 4,000	\$ 1,313
Permit Renewal application	1	5%	\$ 607	\$ 607	\$ 607
Permit Renewal issuance	3	16%	\$ 300	\$ 900	\$ 700
IU Requested Permit Modification	3	16%	\$ 200	\$ 300	\$ 233
Demand Inspection Fee	1	5%	\$100/hr	\$100/hr	\$100/hr
Sampling/Monitoring Fee	2	11%	COST	\$ 300	\$ 300
Source Detection	1	5%	\$100/hr		
Dye Testing	1	5%	\$ 100		
Enforcement Cost	1	5%	Estimate of Legal Costs		
System Development Charge	1	5%	\$5,300/625 gpd		
Special Discharge	1	5%	\$100 + \$0.78/100 gal.		
<b>What are your fees and schedules for Non-Significant Industrial Users?</b>					
Answers: 19 (66%)			MIN	MAX	AVG
New permit application	1	5%	\$ 500	\$ 500	\$ 500
New permit issuance	4	21%	\$ 75	\$ 300	\$ 145
Annual fee	4	21%	\$ 300	\$ 3,000	\$ 1,763
Permit Renewal application	1	5%	\$ 250	\$ 250	\$ 250
Permit Renewal issuance	3	16%	\$ 103	\$ 300	\$ 169
Permit Modification	2	11%	\$ 103	\$ 125	\$ 114
Demand Inspection Fee	1	5%	\$100/hr	\$100/hr	\$100/hr
Sampling/Monitoring Fee	2	11%	COST	\$ 300	\$ 300
Dye Testing	1	5%	\$ 100		
System Development Charge	1	5%	\$5,300/625 gpd		
Special Discharge	1	5%	\$100 + \$0.78/100 gal.		
<b>How often do you review and update your fee schedule?</b>					
Answers: 19 (66%)					
Annually	4	21%			
As deemed necessary	3	16%			
10+ years	2	11%			
Unknown	1	5%			
<b>Are your fees supported by code and/or resolutions?</b>					
Answers: 17 (59%)	14	82%	YES		
	3	18%	NO		
<b>Do fee changes require approval by a governing body/panel?</b>					
Answers: 19 (66%)	18	95%	YES		
	1	5%	NO		
<b>Does your program assess Extra-Strength Surcharge Fees for wastewater strength greater than typical domestic sewage?</b>					
If yes, does your program determine surcharge fees for Extra-Strength discharges through Loading?					
Answers: 16 (55%)			MIN	MAX	AVG
Loading, BOD (\$/lb)	8	50%	\$ 0.1626	\$ 2.3600	\$ 0.9872
Loading, COD (\$/lb)	1	6%	\$ 0.1580	\$ 0.1580	\$ 0.1580
Loading, TSS (\$/lb)	8	50%	\$ 0.1414	\$ 2.3600	\$ 0.9228
Flow (\$/cu.ft)	1	6%	\$ 5.48	\$ 8.85	\$ 7.17
<b>Does your program assess Extra-Strength Surcharge Fees for wastewater through a Classifications/Tier system that is based on volume of flow and concentration?</b>					
Answers: 17 (59%)			MIN	MAX	AVG
Low Strength Classification	6	35%	\$ 2.6600	\$ 5.8530	\$ 4.3222
Med Strength Classification	6	35%	\$ 3.2800	\$ 7.0030	\$ 5.4755
High Strength Classification	6	35%	\$ 3.9300	\$ 8.7400	\$ 6.8186
Very High Strength Classification	5	29%	\$ 4.5300	\$ 10.2900	\$ 8.1608
Super High Strength Classification	4	24%	\$ 8.6878	\$ 13.0100	\$ 10.8038
Special Strength Classification	1	6%			