

SEPTAGE SURVEY 2016

| | Rate Increase | Initial Fee | Renewal Fee | How Often | Septic \$/gal | Chemical Toilet | RV \$/gal | pH done | Comments | Contact | Phone | e-mail |
|--------------------------------|---------------|-------------|-------------|-----------|---------------|-----------------|---------------|----------------|---|------------------|--------------------|--|
| Albany | - | - | - | - | - | - | - | - | have not accepted hauled waste since 07/01/06 | Mark Humphrey | 541-497-6223 | mark.humphrey@ci.tyofalbany.net |
| Bend | - | - | - | - | - | - | - | - | Does not accept hauled waste; take to Agricycle | - | - | - |
| Clackamas WES | 2000 | - | \$150 | 3 yrs | \$0.08 | \$0.08 | NA | Each Load | Analyze randomly of samples | Ed Gilmore | 503-557-2834 | edg@co.clackamas.or.us |
| CWS | Yes | NA | NA | NA | \$0.15 | \$0.15 | 0 | yes | | Mark Bongen | 503.681.5133 | bongenm@cleanwatersevice.org |
| Corvallis | Jul-90 | NA | NA | NA | \$0.07 | \$0.07 | - | Each Load | Min charge \$14.00 | Shane Sinclair | 541-766-6720 | shane.sinclair@corvallisoregon.gov |
| Eugene/ Springfield WPCF | Jul-16 | \$250.00 | \$75.00 | Bi-annual | \$0.127 | \$0.127 | No Charge | Randomly | Grease charge is same at 0.127 per gal | Michelle Miranda | 541-682-8615 | Michelle.L.Miranda@ci.eugene.or.us |
| Grants Pass | - | - | - | - | - | - | - | - | Does not accept hauled waste; take to Clean Water Coop | - | - | - |
| McMinnville | 2016-01 | \$75.00 | none | 3 years | \$0.12 | \$0.12 | \$0.00 | Each Load | Haulers self monitor each load for pH, spot check completed at random. Looking into | Corissa Holmes | 503-434-7313 | corissa.holmes@ci.mcminnville.or.us |
| Medford | - | - | - | - | - | - | - | - | Does not accept hauled waste; take to Clean Water Coop | - | - | - |
| Newberg | 2008, \$0.02 | NA | NA | NA | \$0.13 | N/A | \$5 flat rate | Yes for septic | Septage Receiving station will go online by April 2016 | April Catan | 503-437-1252 x0224 | april.catan@newbergoregon.gov |

SEPTAGE SURVEY 2016

| | Rate Increase | Initial Fee | Renewal Fee | How Often | Septic \$/gal | Chemical Toilet | RV \$/gal | pH done | Comments | Contact | Phone | e-mail |
|-------------------------|---------------|-------------|-------------|-----------------|---------------|-----------------|------------|-----------|--|---------------|--------------|--|
| Odell Sanitary District | - | - | - | - | - | - | \$3 per RV | N/A | No Septage haulers | Chuck Rapelje | 541-354-1138 | crapelje@odellsanitarydistrict.com |
| Portland | - | - | - | - | - | - | - | - | Does not accept hauled waste | - | - | - |
| Redmond | - | \$103 | \$103 | Duration varies | - | \$0.31 | \$0.31 | By pumper | Septage not received at WWTP, but short duration discharge permit may be issued for large event pumpers. | Larry Morse | 541-504-5079 | larry.morse@ci.redmond.or.us |
| Salem | 1/1/2016 | \$478.00 | \$159.00 | 2 Years | \$0.12/gal | \$0.12/gal | N/A | Random | Building new receiving station in 2016, will automate pH and LEL checks | Nitin Joshi | 503-588-6647 | njoshi@cityofsalem.net |
| St Helens | Jan-16 | NA | NA | NA | \$0.11 | \$0.11 | 5.00 /rv | randon | 0.01 surcharge out of county. Holding tanks 0.10 | Stewart | 503-397-2344 | stewart@ci.st-helens.or.us |
| Wilsonville | - | - | - | - | - | - | - | - | Does not accept hauled waste | - | - | - |

| | | | | |
|---------|----------|----------|--------|--------|
| AVERAGE | \$226.50 | \$121.75 | \$0.11 | \$0.14 |
| MAX | \$478.00 | \$159.00 | \$0.15 | \$0.31 |
| MIN | \$75.00 | \$75.00 | \$0.07 | \$0.07 |